



enove

REMARKABLE

南通伊诺精密塑胶
导管有限公司

成立于2007年

公司介绍

— 精密导管挤出公司



- **主营业务：**
为医疗器械提供定制管材
及医用导管整体解决方案
- **地理位置：**
江苏省南通市
(距上海市约100公里)
- **工厂面积：**
5000平方米
按万级标准配备
洁净车间和化验室
- **公司成立时间：**
2007年10月
- **资质证明：**
ISO13485:2016
CE 认证产品
高新技术企业
知识产权标准化企业





原材料:

TPU, PA, Pebax, PP, PE, PVC, PC, PS, POM, TPE, ABS, EVA, FEP, PFA, ETFE, PEEK, PETG, 显影料等

TPU (Polyurethane)

源于路博润, 拜耳、巴斯夫

PA (Polyamide) & Pebax

原产地: 法国、德国等

FEP (Fluorinated Ethylene Propylene) / 源于美国、日本等

原材料

Lubrizol
Lubrizol

Tecothane® TPU – 20% Barium Sulfate

Typical Mechanical Analysis Properties based on the typical composition (TPU) with 20% loading of barium sulfate
Material Grade: Tecothane, and mechanical properties, and chemical analysis, only for use and not for other Lubrizol
Product: Tecothane 20% Barium Sulfate

Property	TPU 20%	TPU 20%	TPU 20%	TPU 20%	TPU 20%	TPU 20%	TPU 20%	TPU 20%	TPU 20%
Tensile Strength	2000	150	150	150	150	150	150	150	150
Elongation at Break	250%	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Tensile Modulus	150	1500	1500	1500	1500	1500	1500	1500	1500
Compression Set	100	100	100	100	100	100	100	100	100
Volume Change	100	100	100	100	100	100	100	100	100
Chemical Resistance	100	100	100	100	100	100	100	100	100
Flammability	100	100	100	100	100	100	100	100	100
Impact Strength	100	100	100	100	100	100	100	100	100
Heat Deflection Temp	100	100	100	100	100	100	100	100	100
Weight	100	100	100	100	100	100	100	100	100

For more information on this product, please contact your local Lubrizol representative or visit our website at www.lubrizol.com

Lubrizol

Lubrizol

Version 1.0
12/2014 Issue 01/01/2014

SAFETY DATA SHEET

This SDS has been prepared according to GHS/OSHA 2009, GHT/19/03/2002

SECTION 1: Identification of the substance/mixture and of the company/institution

Product name: **TECOTHANE™ TPU 20% BS**

Recommended use and restrictions on use: **Not determined**

Restrictions on use: **Not determined**

Details of the supplier of the safety data sheet:

Supplier: **Lubrizol (Germany) Chemical Engineering - GmbH & Co. KG**
Address: **48155 Datteln, Germany**
Telephone: **02371 770000**

Emergency telephone number: **For the territory of the European Union, please call 112. In other countries, please contact your local emergency services.**

SECTION 2: Hazard identification

Classification of the substance or mixture: **Not classified**

Label elements: **Not applicable**

Other hazards which do not result from GHS classification: **None identified**

SDS 12009 17/03/2014/03/2014/03/2014

ARKEMA

Material Safety Data Sheet
PEBA® 6300 SA 01 MED

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical name: **PEBA 6300 SA 01 MED**

Trade name: **PEBA 6300 SA 01 MED**

Customer Service Telephone Number: **(800) 900-0000 (Germany, through France, 08 00 40 00 00 00 (EU))**

2. HAZARD IDENTIFICATION

Classification: **Not classified**

Label elements: **Not applicable**

Other hazards which do not result from GHS classification: **None identified**

SDS 12009 17/03/2014/03/2014/03/2014

管体挤出

材料:

TPU, PA, Pebax, PVC, PP, PE, PS, PC, POM, FEP, PFA, ETFE, PEEK, PETG 等等

硬度范围:

邵氏硬度60A~80D 或定制

尺寸范围:

内径: 0,05 ~ 20mm (0.0019"~ 0.79")

外径: 0,20 ~ 25mm (0.0079"~ 0.99")

壁厚: 0,025 ~ 7,0mm (0.00098"~ 0.28")

公差范围:

+/-0,015 ~ +/-0,10mm (0.00059"~ 0.0039")

腔型结构:

单腔, 多腔, 变径管, 多排管, 实心棒, 异型管, 多层复合管, 加强型编织管, 球囊料管 等



6

*编织 (不锈钢 & 尼龙丝)

*管体弯曲 & 定型

*尖端 (软头, 封头,
倒角, 扩口等)

*打孔 (冷打孔 & 热打孔)

*印刷 (移印, 环印, 喷码)

*组装 (粘接 & 注塑)

*管体熔融 & 焊接



后加工工序

OEM 定制加工.



可调弯鞘



微创扩张引流套件



胃肠道管



微导管



输尿管导引鞘



中心静脉导管
& 血液透析导管




加强型金属编织
& 绕簧管



造影导管




高压编织管



球囊导管



导引导管



输尿管支架

除挤出和后加工外,我们还提供OEM定制服务

- * 诚信、可靠、有责任感
- * 快速回复, 7x24小时服务
- * 签订NDA (保密协议) & 质量保证书
- * 提供图纸 和 技术支持
- * 接受研发订单 和 试订单
- * 如有质量问题可以退款 或 退货



卓越的产品品质
优秀的合作伙伴

南通伊诺精密塑胶导管有限公司
Enove Precision Plastics Catheter Co.,Ltd

江苏省南通市紫琅路30号 226004
No.30, Zilang Road, Nantong, Jiangsu, China 226004
Tel: 0086 513 8098 8080 Fax: 0086 513 8098 8083
eMail: sales@enove.cn export@enove.cn
www.enove.cn www.enoveOEM.com